

BALL BEARINGS All sizes in mm unless designated with "

All Balls No	ID	OD	Width	Width-Inner Race	All Balls No	ID	OD	Width	Width-Inner Race	All Balls No	ID	OD	Width	Width-Inner Race
1623NSL	0.625"	1.375"	11		12-1015	25	52	15	21.5	62/32-2RS	32	65	17	
1630-2RS	0.75"	1.625"	0.5"		12-1016	25	52	15	27	20-1039	34	58	24	
1638-2RS	0.75"	2"	0.56"		12-1017	25	52	15	21.35	20-1056-2RS	34	61	27	
20-1013-2RS	0.75"	52	21		16005	25	47	8		16007	35	62	9	
6204-2RS-3/4	0.75"	47	14		20-1042	25	52	42		20-1025-2RS	35	58	15	
20-1017-2RS	1"	52	21		3205-2RS	25	52	20.6		20-1029-2RS	35	64	37	
6205-2RS-1-INCH	1"	52	15		6005	25	47	12		20-1043	35	60	14	
R16-2RS	1"	2"	0.5"		6005-2RS	25	47	12		20-1046	35	61.8	40	
6207-1.25	1.25"	72	17		6005-NR	25	47	12		5207-2RS	35	72	27	
608-2RDA	8	22	7		6005NSL-2RS	25	47	12		6007	35	62	14	
608-2RS	8	22	7		6205	25	52	15		6007-1RS	35	62	14	
6000-2RS	10	26	8		6205-1RS	25	52	15		6007-2RS	35	62	14	
6200-2RS	10	30	9		6205-2RS	25	52	15		6207	35	72	17	
6300-2RS	10	35	11		6205-2RSNR	25	52	15		6207-2RS	35	72	17	
5201	12	32	15.8		6205NR C3	25	52	15		6207NR C3	35	72	17	
6001-2RS	12	28	8		63005-2RS	25	47	16		6907-2RS	35	55	10	
6201-2RS	12	32	10		6305	25	62	17		16008	40	68	9	
6301	12	37	12		6305-2RS	25	62	17		20-1009-2RS	40	74	40	
6301-2RS	12	37	12		6905-2RS	25	42	9		20-1019	40	70	15	
6002-2RS	15	32	9		12-1004	25.4	52	15	21.35	20-1020	40	62	20.6	
6002NSL-2RS	15	32	9		12-1006	25.4	52	15	21.35	20-1044	40	64	12	
6202-2RS	15	35	11		12-1007	25.4	52	15	31	20-1052	40	64	24	
6302-2RS	15	42	13		12-1008	25.4	52	15		20-1053	40	62	24	
5203-2RS	17	40	17.5		12-1012	25.4	52	15	35	20-1054	40	72	33	
5303 OPEN	17	47	22.2		12-1020	25.4	52	15	18	6008	40	68	15	
6003-2RS	17	35	10		20-1037	28	62	16		6008-2RS	40	68	15	
6203-2RS	17	40	12		60/28	28	52	12		6208	40	80	18	
6203NSL-2RS	17	40	12		60/28-2RS	28	52	12		6208-2RS	40	80	18	
6303-2RS	17	47	14		62/28-2RS	28	58	16		6908	40	62	12	
6903-2RS	17	30	7		63/28	28	68	18		6908-2RS	40	62	12	
16004	20	42	8		20-1023	29	52	12		20-1018	43	68	13	
5204-2RS	20	47	20.5		12-1003	30	52	22		20-1057	44	72	33	
6004-2RS	20	42	12		16006	30	55	9		20-1055	45	83	45	
6204	20	47	14		20-1002-2RS	30	50	20		6009	45	75	16	
6204-2RS	20	47	14		20-1004-2RS	30	54	24		6009-2RS	45	75	16	
63004-2RS	20	42	16		20-1015-2RS	30	55	26		6209	45	85	19	
6304	20	52	15		20-1024	30	52	12		6809	45	58	7	
6304-2RS	20	52	15		20-1026	30	55	32		6909	45	68	12	
6804-2RS	20	32	7		20-1040	30	55	23		6909-2RS	45	68	12	
6904-2RS	20	37	9		20-1041	30	60	37		12-1002	50	72	20	
20-1022	22	62	15		20-2035	30	55	25	30	20-1016	50	80	21	
60/22-2RS	22	44	12		5206-2RS	30	62	23.8		6010	50	80	16	
62/22-2RS	22	50	14		6006	30	55	13		6010-2RS	50	80	16	
63/22	22	56	16		6006-2RS	30	55	13		6210	50	90	20	
63/22-2RS	22	56	16		6206	30	62	16		6210-2RS	50	90	20	
69/22-2RS	22	39	9		6206-2RS	30	62	16		6910	50	72	12	
12-1013	22.22	52	15	21.35	6206NR C3	30	62	16		6011	55	90	18	
12-1001	25	52	15		6306-2RS	30	72	19		6912	60	85	13	
12-1001-1	25	52	15		6906-2RS	30	47	9		16013	65	100	11	
12-1005	25	52	15		60/32	32	58	13		16014	70	110	13	
12-1009	25	52	15	27	60/32-2RS	32	58	13		16017	85	130	14	

INCH SEALS

All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width
31-1301	0.875	1.375	0.25	31-1704	1	1.375	0.3125	31-2101	1.578	2.125	0.25	31-2801	2.328	2.878	0.312
31-1701	1.125	1.781	0.4	31-1705	2	2.75	0.25	31-2102	1.25	2.125	0.25	31-3201	2.593	3.25	0.5
31-1702	1.12	1.78	0.31	31-2001	1.37	2	0.25	31-2103	1.25	1.875	0.25	31-3202	1	1.875	0.25
31-1703	1.98	2.75	0.3	31-2002	1.125	2	0.25	31-2501	1.859	2.5	0.25				

METRIC SEALS

All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width
30-2201	12	22	4	30-8004	25	80	10	30-7012	33	70	8	30-6902	41	69	8.5
30-1301	13	19	3.25	30-3513	26	35	7	30-7502	33	75	8	30-7602-1	41	76	20
30-2701	15	27	7	30-3711	26	37	7	30-5004	34	50	6	30-5101	42	51	7
30-3101	15	31	9.5	30-3804	26	38	7	30-5205	34	52	9	30-5401	42	54	7
30-3001	17	30	5	30-3808	26	28	5	30-5208	34	52	6	30-5511	42	55	8
30-3002	17	30	8	30-4006	26	40	5	30-5502	34	55	9	30-5603	42	56	6
30-3102	17	31	7	30-4010	26	40	7	30-5812	34	58	6	30-5805	42	58	8
30-3201	17	32	7	30-4208	26	42	7	30-6202	34	62	7	30-5811	42	58	10
30-3401	17	34	4	30-4703	26	47	6	30-6506	34	65	10	30-5901	42	59	6
30-2801	18	28	8	12-5019	27	59	11.6	30-7011	34	70	11	30-6207	42	62	7
30-3202	18	32	8	30-3713	27	37	7	30-4503	35	45	6	30-6208	42	62	8
30-3701	18	37	7	30-4011	27	40	7	30-4714	35	47	7	30-6225	42	62	7
30-3702	18	37	8	30-4217	27	42	7	30-4805	35	48	8	30-6502	42	65	7
30-3801	18	38	7	30-4405	27	44	6	30-4901	35	49	6	30-6503	42	65	9
30-2202	19	22.5	10.5	30-5201	27	52	5	30-5209	35	52	5	30-6801	42	68	8
30-3004	19	30	7	30-5220	27	52	8	30-5210	35	52	7	30-7001	42	70	8
30-3203	19	32	8	30-8003	27	80	10	30-5402	35	54	6	30-7501	42	75	10
30-3715	19	37	7	30-3714	28	37	7	30-5509	35	55	8	30-5806	43	58	8
30-3204	20	32	5	30-3805	28	38	7	30-5514	35	55	8	30-5813	43	58	10
30-3501	20	35	10	30-3809	28	38	7.5	30-6101	35	61	9	30-6209	43	62	8
30-3502	20	35	6	30-3810	28	38	6	30-6203	35	62	8	30-6216	43.5	62	6.5
30-3503	20	35	7	30-4210	28	42	6	30-6226	35	62	6	30-5808	44	58	8
30-3703	20	37	7.5	30-4212	28	42	8	30-6505	35	65	8	30-6210	44	62	7
30-5001	20	50	5	30-4402	28	44	8	30-6901	35	69	8	30-6211	44	62	10
30-3205	21	32	5	30-4704	28	47	5	30-5218	36	52	7	30-6221	44	62	7
30-3206	21	32	7	30-4705	28	47	7	30-5302	36	53	8	30-6504	44	65	15.3
30-3506	21	35	7	30-4802	28	48	6	30-5503	36	55	8	30-7503	44	75	9
30-3705	21	37	5.5	30-5007	28	50	5	30-5602	36	56	7	30-5513	45	55	5
30-3707	21	37	7	30-5202	28	52	6	30-6001	36	60	6	30-5516	45	55	7
30-3716	21	37	7	30-5515	28	55	11	30-6217	36.5	62	7	30-5604	45	56	6
30-3504	21.5	35	8	30-4213	29	42	6	30-5102	37	51	6	30-6212	45	62	9
30-3207	22	32	5	30-4706	29	47	7	30-5504	37.5	55	6	30-6223	45	62	7
30-3507	22	35	5	12-5020	30	64	11.7	30-7013	37.5	70	7	30-6510	45	65	8
30-3508	22	35	7	30-0001	30	43.7	5	30-4804	38	48	4	30-6802	45	68	15
30-3601	22	36	8	30-3706	30	37	4	30-5005	38	50	7	30-7601	45	76	20
30-3802	22	38	8	30-4012	30	40	8	30-5009	38	50	8	30-5809	46	58	7
30-4001	22	40	4	30-4013	30	40	6	30-5011	38	50	6	30-6219	46	62	8
30-4002	22	40	6	30-4101	30	41	10	30-5212	38	52	8	30-6403	46	64	8
30-4003	22	40	8	30-4214	30	42	7	30-5301	38	53	7	30-6803	46	68	8
30-4202	22	42	6	30-4215	30	42	8	30-5404	38	54	6	30-7002	46	70	8
30-4203	22	42	7	30-4403	30	44	5	30-5505	38	55	12	30-7301	46.5	73	8
30-4801	22	48	11	30-4501	30	45	10	30-5506	38	55	6	30-6222	47	61.8	6
30-5002	22	50	5	30-4709	30	47	8	30-5507	38	55	8	30-7003	47	70	8.5
30-3510	23	35	7	30-4803	30	48	7	30-5512	38	55	8	30-6213	48	62	7
30-3708	23	37	7	30-5003	30	50	7	30-5517	38	55	6	30-6404	48	64	8
30-4004	23	40	7	30-5204	30	52	7	30-5801	38	58	7	30-6508	48	65	9
30-4204	23	42	7	30-5501	30	55	7	30-6204	38	62	8	30-6509	48	65	8
30-7008	23	70	10	30-5601	30	56	7.5	30-6224	38	62	8	30-6804	48	68	8
30-3709	24	37	7	30-6220	30	62	7	30-6402	38	64	11	30-8801	48	88	7.5
30-3806	24	38	8	30-6401	30	64	11	30-6501	39	65	8	30-6218	49	62	6
30-4005	24	40	7	30-7007	30	70	11	30-7006	39	70	11	30-6808	49	68	8
30-3208	25	32	4	30-5203	30.5	52	8	30-5006	40	50	5	30-6511	50	65	8
30-3512	25	35	7	30-4014	31	40	7	30-5213	40	52	6	30-6805	50	68	7
30-3602	25	36	7	30-4015	31	40	8	30-5403	40	54	10	30-6806	50	68	9
30-3710	25	37	5	30-4710	31	47	7	30-5508	40	55	7	30-7010	50	70	10
30-3803	25	38	6	30-4216	32	42	7	30-5802	40	58	6	30-8002	50	80	8
30-4008	25	40	7	30-4218	32	42	6	30-5802-1	40	58	7	30-6214	50.5	62	9
30-4205	25	42	5.5	30-4502	32	45	8	30-5804	40	58	8	30-6215	52	62	7
30-4207	25	42	7	30-4504	32	45	7	30-5804-1	40	58	9	30-6301	52	63	6
30-4401	25	44	8	30-4711	32	47	6	30-5814	40	58	7	30-6807	52	68	8
30-4404	25	44	6	30-5206	32	52	5	30-5815	40	58	6	30-6512	54	65	8
30-4701	25	47	6	30-5207	32	52	7	30-6205	40	62	7	30-7004	55	70	6
30-4702	25	47	7	30-5810	32	58	10	30-6507	40	65	10	30-8001	60	80	8
30-4806	25	48	8	30-4301	32.5	43	7	30-6601	40	66	6	30-8101	62	81	10.5
30-4902	25	49	12	30-5214	33	52	9	30-5219	41	52	8	30-8501	65	85	8
30-5008	25	50	5	30-6201	33	62	7	30-6206	41	62	8	30-9001	65	90	9
30-5216	25	52	8	30-7009	33	70	11	30-6701-1	41	67	10.5	30-8401	67	84	9

TAPERED BEARINGS All sizes in mm unless designated with "

All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width
40-3059	0.687"	1.687"	0.562"	99-3507	25	48	16	99-3513	28	52	16	99-3519	30	55	17
20-1014	0.75"	1.78"	0.61"	99-3509	25	48	13	99-3527	28	46	13	99-3521	30	52	16
20-1012	1"	1.98"	0.56"	99-3514	25	43	11.1	99-3522	29	50.25	15	99-3539	30	50	13
20-1011	1.06"	1.98"	0.56"	99-3518	25	47	15	20-2034-1	30	62	20.5	99-3540	30	47	12
40-3029	17	40	13.5	99-3526	25	46	13	30206	30	62	17.25	99-3541	30	48.5	15
32004XJ	20	42	15	99-3535	25	45	15	32206J	30	62	21	99-3538	31	55	18
99-3516	22.5	41	12.5	99-3511	26	48.5	15	99-3503	30	48	14	20-1010	35	60	16
99-3517	24	41	12.5	99-3520	26	47	15	99-3504	30	52	17	32007XJ	35	62	18
12-1019	25	52	15	99-3542	26	48	14	99-3506	30	48	15	99-3523	35	55	14
30205J	25	52	16.5	99-3543	26	52	15	99-3510	30	51	15	99-3525	35	55	14
32205	25	52	19	99-3508	27	48	14	99-3512	30	50	14.25	32008XJ	40	68	19
99-3505	25	48	15	99-3524	27	48.5	18	99-3515	30	48	12				

CRANKSHAFT BEARINGS All sizes in mm unless designated with "

All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width
6203 C3	17	40	12	20-2030	25	62	17	20-2036	28	72	18	62/32 C3 C	32	65	17
6204 C3	20	47	14	20-2031	25	62	17	63/28 C3	28	68	18	6207 C3	35	72	17
6204NR C3	20	47	14	20-2032	25	62	16	6206 C3	30	62	16	6307C3	35	80	21
6304 C3	20	52	15	20-2033	25	55	15	6206 C3C	30	62	16	16008C3	40	68	9
62/22 C4	22	50	14	6205 C3	25	52	15	6306 C3	30	72	19	20-2039	40	76	17.5
63/22 C4	22	56	16	6305 C3	25	62	17	20-2038	32	76	17.5	6208 C3	40	80	18
63/22 X C3	22	56	16	6305N C3	25	62	17	62/32 C3	32	65	17	6308 C3	40	90	23

CRANKSHAFT SEALS

All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width
34-1001	22	40	8	34-1018	32	44	8	34-1033	30	55	10	34-1047	25	40	8
34-1002	30	45	8	34-1019	30	44	8	34-1034	25	44	8	34-1048	20	35	8
34-1003	38	58	11	34-1020	40	55	10	34-1035	25	40	10	34-1049	35	48	8
34-1004	20	40	7	34-1021	36	55	10	34-1036	25	38	7	34-1050	30	44	8
34-1006	32	44	9	34-1022	27.8	55	10	34-1037	40	62	10	34-1051	20	30	6
34-1007	25	45	7	34-1023	20	32	7	34-1038	25	40	7	34-1052	26	52	8
34-1008	30	50	7	34-1024	20	37	7	34-1039	25	40	6	34-1053	28	38	9
34-1009	26	47	7.3	34-1025	28	50	8	34-1040	28	52	8	34-1054	38	58	7
34-1011	30	40	7	34-1026	20	40	9	34-1041	18	30	6	34-1055	32	48	7
34-1012	28	40	8	34-1027	18	30	8	34-1042	17	35	7	34-1056	20	42	8
34-1013	36	52	8	34-1028	20	37	6	34-1043	23	35	7	34-1057	25	37	6
34-1014	36	52	7	34-1029	25	37	7	34-1044	22	38	7	34-1058	17	29	7
34-1015	38	52	8	34-1030	20	40	8	34-1045	25	40	8				
34-1017	28	40	8	34-1031	22	40	7	34-1046	25	52	8				

SPHERICAL BEARINGS All sizes in mm unless designated with "

All Balls No	ID	OD	Width - Outer Race	Width - Inner Race	All Balls No	ID	OD	Width - Outer Race	Width - Inner Race
40-5019	0.753"	1.432"	0.595"	0.75"	40-5008	12	22	9	11
40-5020	0.753"	1.432"	0.595"	0.75"	40-5010	12	22	9	11
40-5002	10	24	13	14.5	40-5014	12	26	16	16
40-5003	10	26	13	14.5	40-5017	12	26	13	15
40-5004	10	26	13	20	40-5030	12	26	13	15
40-5005	10	26	9	20	40-5032	12	27	13	16
40-5006	10	24	13	27	40-5013	14	26	13	14
40-5015	10	24	13	16	40-5025	14	27.5	20	16
40-5016	10	22	12.5	14	40-5027	14	27.5	16	17
40-5021	10	24	13	16	40-5034	15	25	12	13
40-5022	10	21	10.5	12.5	40-5035	15	26	9	12
40-5026	10	21	10.5	12.5	40-5018	16	32	15	21
40-5033	10	26	20						

NEEDLE BEARINGS All sizes in mm unless designated with "

All Balls No	Type	ID	OD	Length	All Balls No	Type	ID	OD	Length
40-3083	Full Complement	0.625"	0.875"	0.75"	23-1009	Cage Type	20	28	16
40-3071	Cage Type	0.875"	1.125"	0.75"	23-1012	Cage Type	20	32	16
40-3084	With oil hole	1"	1.25"	0.75"	23-1014	Cage Type	20	34	18
23-1023	Cage Type	1.125"	1.375"	0.5"	40-3002	Cage Type	20	26	12
23-1031	Cage Type	12	18	12	40-3003	Cage Type	20	26	16
23-1008	Cage Type	13	25.5	13	40-3004	Cage Type	20	26	20
23-1010	Cage Type	14	24.5	15	40-3011	Full Complement	20	26	14
23-1013	Cage Type	14	22	16	40-3012	Full Complement	20	26	16
23-1026	Cage Type	14	19	12.5	40-3013	Full Complement	20	26	20
40-3053	Full Complement	14	20	12	40-3017	Cage Type	20	26	30
40-3062	With Seals	14	20	25	40-3033	Cage Type	20	27	15
40-3080	With Seals	14	20	16	40-3040	With Seals	20	27	23.5
23-1004	Cage Type	15	21	10	40-3041	Cage Type	20	27	30
23-1007	Cage Type	15	21	14.8	40-3044	Full Complement	20	26	12
23-1020	Cage Type	15	23	16	40-3048	Full Complement	20	27	26
23-1024	Cage Type	15	25	16	40-3049	Full Complement	20	27	20
23-1025	Cage Type	15	25	13	40-3050	Full Complement	20	27	15
40-3008	Cage Type	15	21	22	40-3051	Full Complement	20	27	30
40-3022	Full Complement	15	22	17	40-3079	With Seals	20	26	20
40-3073	Full Complement	15	21	16	40-3047	Full Complement	21	27	20
40-3078	Full Complement	15	21	12	40-3069	Full Complement	21	27	25
23-1005	Cage Type	16	24	12	40-3070	Full Complement	21	27	15
23-1016	Cage Type	16	23	16	23-1002	Cage Type	22	30	18
23-1029	Cage Type	16	26	13	23-1003	Cage Type	22	30	16
40-3020	Full Complement	16	22	12	40-3005	Cage Type	22	28	20
40-3081	With Seals	16	22	20	40-3006	Cage Type	22	29	30
40-3082	With Seals	16	22	16	40-3027	Full Complement	22	28	16
40-3019	Full Complement	16.6	23.6	22	40-3035	Cage Type	22	28	12
40-3023	Full Complement	16.6	23.6	26	40-3038	Cage Type	22	28	16
40-3024	Full Complement	17	24	17	40-3046	Full Complement	22	28	20
40-3025	Full Complement	17	24	25	40-3060	Cage Type	22	29	20
40-3030	Cage Type	17	24	15	40-3067	With Seals	22	28	18
40-3032	With Seals	17	24	30	40-3077	Full Complement	22	29	25
40-3034	With Seals	17	24	20	40-3007	Cage Type	25	32	20
40-3036	Cage Type	17	24	25	40-3016	Cage Type	25	32	27
40-3045	Full Complement	17	24	12	40-3068	Full Complement	25	32	20
40-3052	Full Complement	17	24	20	40-3076	Full Complement	28	34	17
40-3061	With Seals	17	24	26	40-3074	Cage Type	30	40	25
40-3063	With Seals	17	24	25	12-1022	Full Complement	32	38	19
40-3015	Full Complement	17.5	24.5	22	12-1018	Cage Type	35	42	20
23-1017	Cage Type	18	28	20	23-1018	Cage Type	35	42	20
40-3009	Full Complement	18	24	16	40-3066	Full Complement	37	47	20
40-3031	Cage Type	18	24	12	23-1019	Cage Type	45	52	20
40-3001	Full Complement	19	26	15	23-1006	Cage Type	50	62	15
40-3001-1	Full Complement	19	26	13	23-1001	Cage Type	55	67	20
40-3010	Full Complement	19.1	26.1	27	23-1021	Cage Type	62	74	12

FORK OIL SEALS

All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width
35-1001	26	37	10.5	35-1018	37	50	11	35-1030	43	54	9	35-1040	48	58	9.5
35-1002	27	39	10.5	35-1019	38	50	10.5	35-1031	43	55	10.5	35-1041	48	58	8.5
35-1003	30	40.5	10.5	35-1022	39	52	11	35-1032	43	55	9.5	35-1042	34	46	10.5
35-1004	30	42	10.5	35-1023	43	53	9.5	35-1033	45	57	11	35-1043	50	60	10.5
35-1005	31	43	10	35-1024	32	42	9	35-1034	46	58	10	35-1044	45	58	11
35-1008	33	45	10.5	35-1025	41	53	10.5	35-1035	46	58	9.5	35-1046	40	52	8
35-1010	33	46	11	35-1026	41	53	8	35-1036	47	58	10	35-1047	48	61	11
35-1011	35	48	11	35-1027	41	53	8	35-1037	35	47	10				
35-1015	36	48	11	35-1028	41	54	11	35-1038	49	60	11				
35-1016	36	48	8	35-1029	43	54	11	35-1039	50	63	11				

FORK DUST SEALS

All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width	All Balls No	ID	OD	Width
36-1001	47	58.5	10.5	36-1009	43	54.5	13	36-1017	46	58.5	9.5	36-1036	32	44.4	12.5
36-1002	45	57.5	13.3	36-1010	37	50.5	12.5	36-1018	43	55.5	9.5	36-1038	43	53.4	11.6
36-1003	43	55.5	12	36-1011	36	48.5	11.5	36-1019	41	53.5	9.5	36-1039	45	58.5	14
36-1004	46	58.5	11.5	36-1012	39	52.5	12.5	36-1020	38	50.5	9.5	36-1040	35	47.5	11.5
36-1005	49	60.5	13.3	36-1013	35	48.5	12.5	36-1021	36	48.5	9.5	36-1041	50	63.5	11.6
36-1006	48	58.5	12	36-1014	33	46.5	12.5	36-1022	35	48.5	10				
36-1007	50	60.4	13.3	36-1015	30	40.7	11.5	36-1023	33	45.5	9.5				
36-1008	41	53.5	12	36-1016	41	54.4	12.5	36-1027	27	39.4	12.5				

FORK BUSHINGS - INNERS Teflon on the O.D. of the Bushing

PSI No	ID	OD	Width
38-1001	44.7	46.6	19.8
38-1004	41.7	43.6	19.8
38-1006	34.7	36.6	19.8
38-1010	46.7	48.6	19.8
38-1011	45.7	47.6	19.8
38-1013	47.7	49.6	24.8
38-1014	47.7	49.6	19.8
38-1015	43.7	46.6	19.8
38-1017	39.7	41.6	19.8

FORK BUSHINGS - OUTERS Teflon on the I.D. of the Bushing

PSI No	ID	OD	Width
38-2001	36.1	40	11.8
38-2002	41.1	45	11.8
38-2007	43.1	47	11.8
38-2011	46.1	50	11.8
38-2012	48.1	52	14.8
38-2013	48.1	52	11.8
38-2014	47.1	51	14.8
38-2015	49.1	52	14.8
38-2016	43.1	47	14.8
38-2018	46.1	50	14.8
38-2019	47.1	51	11.8
38-2021	45.1	49	14.8
38-2030	48.1	52	19.8
38-2031	43.1	47	19.8
38-2032	48.1	51	11.8

TIE ROD ENDS All sizes in mm unless designated with "

Note: RH means right hand thread (normal thread) LH means left hand thread (backwards thread)

PSI No	Type	A	B	C	D	F	Note	PSI No	Type	A	B	C	D	F	Note
41-1001	3	M10X1.25 LH	M10X1.25	44	16	26		41-1026	2a	M10X1.25 RH	SPECIAL	40	19	34	
41-1004	3	M10X1.25 RH	M10X1.25	44	16	26		41-1027	2	M12X1.25 LH	M10X1.25	60	20.5	33	
41-1002	3	M10X1.25 LH	M10X1.25	44	21	25		41-1028	2	M12X1.25 RH	M10X1.25	60	20.5	33	
41-1006	3	M10X1.25 RH	M10X1.25	44	21	28		41-1029	2	M12X1.25 RH	M10X1.25	63	20	34	
41-1003	3	M10X1.25 LH	M10X1.25	45	21	25		41-1030	2	M12X1.25 LH	M10X1.25	63	20	34	
41-1005	3	M10X1.25 RH	M10X1.25	44	21	25		41-1021	2	M10X1.25 LH	M10X1.25	62	10	33	Taper Shaft 1
41-1007	3	M12X1.25 LH	M10X1.25	44	21	25		41-1025	2	M10X1.25 RH	M10X1.25	62	10	33	Taper Shaft 1
41-1012	3	M12X1.25 RH	M10X1.25	45	21	26		41-1031	3a	1/2" RH	3/8"	43	26.9	29	
41-1011	3	M12X1.25 LH	M12X1.25	62	31	41		41-1032	3a	1/2" LH	3/8"	41	26.9	29	
41-1013	3	M12X1.25 RH	M10X1.25	54	21.5	32		41-1033	3a	3/8" RH	3/8"	43	26.9	25	
41-1008	3	M12X1.25 LH	M10X1.25	54	21	32		41-1039	3	M12X1.25 LH	M10X1.25	52	18.5	31	
41-1009	3	M12X1.25 LH	M12X1.25	50	19	31		41-1040	3	M12X1.25 RH	M10X1.25	52	18.5	31	
41-1014	3	M12X1.25 RH	M12X1.25	50	19	31		41-1041	2	M10X1.25 LH	M10X1.25	51	28	25	
41-1010	3	M12X1.25 LH	M12X1.25	62	24	38		41-1042	2	M10X1.25 RH	M10X1.25	51	28	25	
41-1015	3	M12X1.25 RH	M12X1.25	62	24	41		41-1043	3	M10X1.25 LH	M10X1.25	44	20.5	26	
41-1018	2	M10X1.25 LH	M10X1.25	61	26	35		41-1044	3	M10X1.25 RH	M10X1.25	44	20.5	26	
41-1019	2	M10X1.25 RH	M10X1.25	61	16	33		41-1045	2	M12X1.25 RH	M10X1.25	61	10	34	Taper Shaft 1
41-1017	2	M10X1.25 LH	M10X1.25	58	21	33		41-1046	2	M12X1.25 LH	M10X1.25	61	10	34	Taper Shaft 1
41-1022	2	M10X1.25 RH	M10X1.25	58	21	31		41-1047	3	M12X1.25 RH	M10X1.25	53	10.5	32	Taper Shaft 2
41-1016	2	M10X1.25 LH	M10X1.25	57	24	35		41-1048	3	M12X1.25 LH	M10X1.25	53	10.5	32	Taper Shaft 2
41-1023	2	M10X1.25 RH	M10X1.25	60	24	34		41-1049	3	M12X1.25 LH	M12X1.25	53	24	32	

Taper Shaft 1 Dia. 1= 11mm, Dia. 2= 12mm
 Taper Shaft 2 Dia. 1= 13mm, Dia. 2= 14mm

NOTE: See diagram type on next page.

TIE ROD DIAGRAMS

